



INTCO PROTECTS YOUR HEALTH

CONTENTS

ABOUT US	02-05
01 MANUAL WHEELCHAIR	06-26
02 POWER WHEELCHAIR	27-34
03 SCOOTER	35-40
04 BUGGY	41-42
05 LIFT	43-45
06 POWER LIFT CHAIR	46-48
07 ROLLATOR	49-53
08 COMMODE CHAIR	54-57
09 SHOWER CHAIR	58-59
10 OVER BED TABLE	60-61
11 CANE & WALKER	62-63
12 CUSHION	64-65
ACCESSORY	66-67
COLOR	68

COMPANY PROFILE

A shares Listed Company | **3** Business Divisions | 7 Global Marketing Centers

10 R&D Production Bases | **10,000+** Global Employees

150+ Countries and Regions | **10,000+** Global Clients

Medical Consumables | Rehabilitation Equipment | Physical Therapy

INTCO Medical, one of the top 500 Chinese brands, the top 500 private enterprises in China's manufacturing industry, and one of the top 100 listed companies, was listed on the Shenzhen Stock Exchange in July 2017 with stock code 300677. It is a high-tech manufacturing enterprise dedicated to the R&D, production and marketing of medical consumables and medical equipment. With the main business covering medical consumables, rehabilitation equipment, physical therapy and so on, our products are widely used in medical institutions, nursing institutions, household daily necessities and other related industries. After 30 years of prosperous development, our products have been exported to more than 150 countries and regions in America, Europe, Asia, Africa and Oceania, providing quality products and services to 10,000+ customers.

Jiangsu Intco Medical Products Co., Ltd, a subsidiary of Intco Medical, serves as a research, production, and marketing center for rehabilitation equipment and therapy products. Our company specializes in producing rehabilitation equipment such as manual and electric wheelchairs, mobility scooters, transfer machines, walking aids, commode chairs, canes, among others. Equipped with hundreds of automated machines, we are capable of producing 1,000,000 manual wheelchairs and 50,000 electric wheelchairs annually, and has provided quality services to more than 72 countries and regions around the world.



GLOBAL COOPERATION

72

COUNTRIES & REGIONS

5

OVERSEAS MARKETING CENTERS

● EUROPE

Belgium
Bosnia and Herzegovina
Bulgaria
Croatia
Cyprus
Czech Republic
Denmark

Finland
France
Germany
Greece
Hungary
Ireland
Italy

Lithuania
Malta
Netherlands
Poland
Portugal
Romania
Russia

Serbia
Slovakia
Slovenia
Spain
Switzerland
Ukraine
UK

● ASIA

China
Hongkong, China
India
Israel
Japan
Jordan
Kazakhstan

Kuwait
Lebanon
Malaysia
Mongolia
Palestine
Philippines
Saudi Arabia

Singapore
South Korea
Taiwan, China
Turkey
United Arab Emirates

● AFRICA

Burundi
Eswatini
South Africa
Tunisia
Uganda



● NORTH AMERICA

Canada
Costa Rica
Dominica
Dominican Republic
El Salvador
Guatemala
Jamaica
Mexico
Panama
USA

● SOUTH AMERICA

Argentina
Bolivia
Brazil
Chile
Ecuador
Paraguay
Uruguay
Venezuela

● OCEANIA

Australia
New Zealand

DEVELOPMENT HISTORY



2004

Establish wheelchair manufacturing base

2006

Phase 1: 22,200m²

2009

The expansion of automatic production

2014

Phase 2: 22,200m²
The annual turnover reached \$10 million

2017

A new plant covering an area of 728,434m² was put into construction

2019

Phase 3: 14,313m²
The annual turnover reached \$30 million

2020

Phase 4: 19,955m²

2021

Phase 5: The total area of the plant will reach 200,000m²

2022

Building 53,000m² (Office&Comprehensive area)

2023

6 single buildings were added, with a total construction area of 19,351 square meters.

2024

1 building under construction, with a construction area of 18,418 m²

01 MANUAL WHEELCHAIR



DOLY

ALUMINUM

/ FRAME	Double cross braces, powder coating
/ FRONT WHEEL	6"/8" PU tires
/ REAR WHEEL	14"/22"/24" spoke wheel, PU tire, aluminum handrim
/ ARMREST	Fixed slope/Detachable armrest PU armpad
/ FOOTREST	Fixed/Detachable footrest, Leg support
/ SEAT AND BACKREST	Mesh bottom upholstery + Breathable upholstery cover
/ FRONT FORK	Plastic
/ FOOTPLATE	Plastic
/ SPECIAL	Backrest half folding; Quick release; Attendant hand brakes; Anti-tipper



Product Features



Available in multiple colors



Lightweight, foldable design



Multiple wheel size adaptation

ITEM NO.	Model	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	Net Weight (kg)	Carton Size (cm)
Doly	Fixed armrest & footrest	82.5	59.5	91.5	25.5	43	42	/	48.5	120	6"	14"	10	87x26.5x75.5
		96	64.5	91.5	27	43	42	/	48.5	120	6"	22"	10.8	97x28x75
		98.5	64.5	94	27	43	42	/	51	120	8"	24"	11	99.5x28x77.5
	Fixed armrest & detachable footrest	82.5	59.5	91.5	25.5	43	42	/	48.5	120	6"	14"	10.1	66.5x26.5x75
		96	64.5	91.5	27	43	42	/	48.5	120	6"	22"	10.9	76.5x28x75
		98.5	64.5	94	27	43	42	/	51	120	8"	24"	11.1	79x28x77.5
	Detachable armrest & footrest	91.5	59.5	91.5	25.5	43	42	/	48.5	120	6"	14"	11	66.5x26.5x75
		99	64.5	91.5	28	43	42	/	48.5	120	6"	22"	11.8	76.5x29x75
		101.5	66.5	94	28	43	42	/	51	120	8"	24"	12	79x29x77.5

ECO

STEEL

/FRAME	Single cross brace,powder coating
/FRONT WHEEL	6"×1" / 8"×1" PVC tire
/REAR WHEEL	22" MAG wheel/ 24" MAG wheel/24" spoke wheels, PU tires
/ARMREST	Fixed full length armrest
/FOOTREST	Detachable footrest
/SEAT AND BACKREST	Nylon
/FRONT FORK	Plastic
/FOOTPLATE	Plastic
/PACKAGE	180 pcs/ 20GP, 477 pcs/ 40HQ(22") ; 170 pcs/ 20GP, 378 pcs/ 40HQ(24")
/SPECIAL	Simple backrest half folding



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
Eco	18"	92	60	91	23	46	40.5	45	46	100	6"	22"	15.5/13.5	71x24x74
	18"	102	63	99	26	46	40.5	45	53	100	8"	24"(MAG)	17.5/15.0	78x27x81.5
	18"	98	63	95	25	46	40.5	45	46.5	100	6"	24"(spoke)	17.0/15.0	78x27x79

YK9055 K5

ALUMINUM

/FRAME	Single cross brace; Powder coating / liquid painting
/FRONT WHEEL	7"x1.25", PU tire
/REAR WHEEL	24", spoke wheel, PU tire, quick release
/ARMREST	Flip back& detachable armrest, height adjustable
/FOOTREST	Swing away / Elevating legrest
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Aluminum
/FOOTPLATE	PP / Nylon
/SPECIAL	Adjustable rear wheels at the front and rear; Seat depth adjustable; Seat height adjustable; Height adjustable armrest; Quick release; Height adjustable backrest; Anti-tipper wheels



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9055 K5	18"	110-115	68	91±2	32	46	40-45	44±2.5	50±2	120	7"	24"	16.5/14.5	81x33x80

YK9012

STEEL

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x1", PVC tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Fixed full length armrest, PVC armpad
/FOOTREST	Detachable footrest, leg support
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Steel
/FOOTPLATE	Plastic
/PACKAGE	122 pcs/ 20GP, 380 pcs/ 40HQ
/SPECIAL	Simple backrest half folding for smaller package



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9012	14"	105	56	90	27	36.5	40	40	48	110	8"	24"	15.4/13.4	81x27x80
	18"	105	65.5	90	27	46	40	40	48	110	8"	24"	17.0/15.0	81x27x80

YK9022

STEEL

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x1", PVC tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Fixed full length armrest, PVC armpad
/FOOTREST	Swing away footrest
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Steel
/FOOTPLATE	Plastic
/PACKAGE	130 pcs/ 20GP, 327 pcs/ 40HQ



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9022	18"	105.6	65.5	90	27	46	40	41	51	110	8"	24"	20.0/18.0	83x28x94

YK9031

STEEL

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x1", PVC tire
/REAR WHEEL	24" spoke wheels, pneumatic/ PU tire
/ARMREST	Flip back with desk length, PVC armpad
/FOOTREST	Swing away footrest, leg support
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Steel
/FOOTPLATE	Plastic
/PACKAGE	130 pcs/ 20GP, 326 pcs/ 40HQ
/OPTION	Backrest half folding; Attendant brakes; Quick release; Safety belt; Anti-tipper wheels



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9031	16"	103	58	91	26.5	40	40	41	50	120	8"	24"	20.6/18.1	81x27x94
	17"	103	60.5	91	26.5	42	40	41	50	120	8"	24"	20.8/18.3	81x27x94
	18"	103	63	91	26.5	45	40	41	50	120	8"	24"	21.0/18.5	81x27x94
	20"	103	68	91	26.5	51	40	41	50	135	8"	24"	22.5/20.0	81x27x94

YK9032F

STEEL

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"×2", PU tire
/REAR WHEEL	12", PU tire
/ARMREST	Flip back with desk length, PVC armpad
/FOOTREST	Swing away footrest, leg support
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Steel
/FOOTPLATE	Plastic
/PACKAGE	180 pcs/ 20GP, 431 pcs/ 40HQ
/SPECIAL	Backrest half folding; Attendant brakes; Safety belt



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9032F	16"	92	55	96	26	40	40	45	50	100	8"	12"	17.7/15.2	76x25x79
	18"	92	60	96	26	45	40	45	50	110	8"	12"	18.1/15.6	76x25x79

YK9041

STEEL

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x1", PVC tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Flip back slope armrest, PVC armpad
/FOOTREST	Swing away footrest, heel support
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Plastic
/FOOTPLATE	Plastic
/PACKAGE	126 pcs/ 20GP, 326 pcs/ 40HQ
/OPTION	Backrest half folding; Attendant brakes; Anti-tipper wheels



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9041	18"	103	61	91	26.5	46	40	43	50	120	8"	24"	21.5/19.0	82x27x94

YK9045 YK9073

STEEL ALUMINUM

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8", PU tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Flip back slope armrest, PU armpad
/FOOTREST	Swing in and away footrest
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Plastic
/FOOTPLATE	Plastic
/PACKAGE	24" rear wheel: 112 pcs/ 20GP, 290 pcs/ 40HQ 12" rear wheel: 141 pcs/ 20GP, 358 pcs/ 40HQ
/OPTION	Rear wheel: 12" PU tire; Backrest half folding; Attendant brakes; Safety belt; Anti-tipper wheels



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9045	16"	111	58.4	95.5	26	41	41	45	51	135	8"	24"	18.3/16.3	87x28x95
	18"	111	63.5	95.5	26	46.2	41	45	51	135	8"	24"	18.5/16.5	87x28x95
	20"	111	68.4	95.5	26	51.1	41	45	51	135	8"	24"	18.7/16.7	87x28x95
YK9073	16"	111	58.4	95.5	26	41	41	45	51	135	8"	24"	16.2/13.7	87x28x95
	18"	111	63.5	95.5	26	46.2	41	45	51	135	8"	24"	16.4/13.9	87x28x95
	20"	111	68.4	95.5	26	51.1	41	45	51	135	8"	24"	16.6/14.1	87x28x95

YK9034

STEEL

/FRAME	Double cross braces, powder coating
/FRONT WHEEL	8"x2", PU tire
/REAR WHEEL	20" spoke wheels, PU tire
/ARMREST	Detachable slope armrest, PVC armpad
/FOOTREST	Swing away footrest
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Steel
/FOOTPLATE	Plastic
/PACKAGE	106 pcs/ 20GP, 268 pcs/ 40HQ
/SPECIAL	Narrow width



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9034	16"	92	51	89	26	41	40	35	49	100	8"	20"	17.0/15.0	75x34x99.5
	17"	92	53	89	26	43	40	35	49	100	8"	20"	17.5/15.5	75x34x99.5

YK9065

STEEL

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8" x 1.25", PU tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Flip back with slope armrest, PU armpad
/FOOTREST	Swing in and away footrest
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Plastic
/FOOTPLATE	Plastic
/PACKAGE	126 pcs/ 20GP, 280 pcs/ 40HQ
/OPTION	Height adjustable slope armrest
/SPECIAL	Quick release



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9065	16"	103	60	92	30	43	35	43	49	135	8"	24"	18.5/16.5	82x31x94
	18"	103	65	92	30	46	35	43	49	135	8"	24"	18.5/16.5	82x31x94

YK9050 K1

STEEL

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x1", PVC tire
/REAR WHEEL	24" MAG wheels, PU tire
/ARMREST	Detachable with desk length, PVC armpad
/FOOTREST	Swing away footrest
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Steel
/FOOTPLATE	Plastic
/PACKAGE	118 pcs/ 20 GP, 299 pcs/ 40HQ



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9050 K1	18"	112	66	92	30	46	40	46	50	120	8"	24"	21.6/18.1	81x27x94

YK9052 K2

STEEL

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x1", PVC tire
/REAR WHEEL	24" MAG wheels, PU tire
/ARMREST	Detachable with desk length, PVC armpad
/FOOTREST	Swing away footrest, heel support
/SEAT AND BACKREST	Vinyl upholstery
/FRONT FORK	Aluminum
/FOOTPLATE	Plastic
/PACKAGE	114 pcs/ 20GP, 288 pcs/ 40HQ
/SPECIAL	Seat height adjustable



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9052 K2	16"	112	61.5	92	30	41	41	43	49	120	8"	24"	20.5/18.2	81.5x31x93.5
	18"	112	66.5	92	30	46	41	43	49	120	8"	24"	21.0/18.7	81.5x31x93.5
	20"	112	71.5	92	30	51	41	43	49	120	8"	24"	21.6/19.3	81.5x31x93.5

YK9053 K3

STEEL

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x1", PVC tire
/REAR WHEEL	24" MAG wheels, PU tire
/ARMREST	Flip back&detachable desk length, PVC armpad
/FOOTREST	Swing away footrest, heel support
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Aluminum
/FOOTPLATE	Plastic
/PACKAGE	118 pcs/ 20GP, 280 pcs/ 40HQ
/SPECIAL	Seat depth adjustable; Seat height adjustable; Heightable adjustable armrest



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9053 K3	16"	109	60	89	31	41	40-46	40	50	120	8"	24"	19.4/17.1	81.5x31x93.5
	18"	109	65	89	31	46	40-46	40	50	120	8"	24"	19.9/17.6	81.5x31x93.5
	20"	109	70	89	31	51	40-46	40	50	120	8"	24"	22.9/20.6	81.5x31x93.5

YK9052B K7

STEEL

/FRAME	Double cross braces, powder coating
/FRONT WHEEL	8"x2", PU tire, heavy duty
/REAR WHEEL	24" MAG wheels, PU tire, heavy duty
/ARMREST	Detachable with desk length, PVC armpad
/FOOTREST	Swing away footrest, heel support
/SEAT AND BACKREST	Vinyl upholstery, extra strong
/FRONT FORK	Aluminum, heavy duty
/FOOTPLATE	Aluminum
/PACKAGE	105 pcs/ 20GP, 250 pcs/ 40HQ
/SPECIAL	Heavy duty 160kg/ 180kg



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9052B K7	22"	103	73	91	26.5	55	45	45	50	160	8"	24"	30.6/27.1	85x33x94
	24"	108	78	94	28	61	45	45	50	180	8"	24"	30.6/27.1	85x33x94

YK9130

STEEL

/FRAME	Double cross braces, powder coating
/FRONT WHEEL	8"x2", PU tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Flip back with desk length, PVC armpad
/FOOTREST	Swing away footrest
/SEAT AND BACKREST	Flame-retardant nylon with sponge, extra strong
/FRONT FORK	Steel
/FOOTPLATE	Nylon
/PACKAGE	102 pcs/ 20GP, 258 pcs/ 40HQ
/SPECIAL	Heavy duty: 150kg



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9130	22"	103	73	91	26.5	55	45	44	50	150	8"	24"	23.0/20.5	88x28x96
	24"	108	78	94	28	61	45	45	50	150	8"	24"	25.6/23.6	88x28x96

YK9132

STEEL

/FRAME	Single/ double cross brace,powder coating
/FRONT WHEEL	8"x2", PU tire
/REAR WHEEL	24" MAG wheels, PU tire
/ARMREST	Detachable with desk length
/FOOTREST	Elevating legrest
/SEAT AND BACKREST	Vinyl upholstery
/FRONT FORK	Steel
/FOOTPLATE	Plastic
/PACKAGE	77 pcs/ 20GP, 224 pcs/ 40HQ
/SPECIAL	Reclining backrest 90°-180°; Headrest; Attendant brakes;Anti-tipper wheels



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9132	18"	123	68	126	31	45	40	80	50	120	8"	24"	29.5/26.6	92x31x96
	20"	123	71.5	126	31	50.5	40	80	50	120	8"	24"	28.3/26.3	92x31x96

YK9090

STEEL

/FRAME	Double cross braces, powder coating
/FRONT WHEEL	12", pneumatic tire
/REAR WHEEL	20", pneumatic tire
/ARMREST	Fixed slope armrest, PU armpad
/FOOTREST	Detachable footrest
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Steel
/FOOTPLATE	Plastic
/PACKAGE	94 pcs/ 20GP, 236 pcs/ 40HQ
/SPECIAL	Move forward and backward, turn right and left smoothly



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9090	19"	110	69	145	36	48	42.5	42	54.5	136	12"	20"	31.5/28.5	94x34x90

YK9092 YK9093

STEEL ALUMINUM

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x1", rubber tire
/REAR WHEEL	8"x1", rubber tire
/ARMREST	Fixed full length armrest, PVC armpad
/FOOTREST	Swing away footrest, heel support
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Aluminum/ Steel
/FOOTPLATE	Plastic
/PACKAGE	230 pcs/ 20GP, 550 pcs/ 40HQ
/SPECIAL	Backrest half folding; Safety belt; Hand strap



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9092 (Steel)	17"	96	53	96	25.4	43	40	46	48	115	8"	8"	15.2/13.7	60x26x78
	19"	96	58	96	25.4	48	40	46	48	115	8"	8"	15.2/13.7	60x26x78
YK9093 (Aluminum)	17"	96	53	96	25.4	43	40	46	48	115	8"	8"	12.5/11.0	60x26x78
	19"	96	58	96	25.4	48	40	46	48	115	8"	8"	12.5/11.0	60x26x78

YK9081

STEEL ALUMINUM

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x2", PU tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Flip back slope armrest, PU armpad
/FOOTREST	Swing in and away footrest, leg support
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Plastic
/FOOTPLATE	Plastic
/PACKAGE	90 pcs/ 20GP, 295 pcs/ 40HQ



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9081	16"	105	58.5	92.5	30	40.5	42	40.5	50	120	8"	24"	17.2/15.2	83x30x85.5
	17"	105	61	92.5	30	43	42	40.5	50	120	8"	24"	17.4/15.4	83x30x85.5
	18"	105	63.5	92.5	30	45.5	42	40.5	50	120	8"	24"	17.6/15.6	83x30x85.5
	20"	105	65.5	92.5	30	50.5	42	40.5	50	120	8"	24"	18.0/16.0	83x30x85.5

YK9061

ALUMINUM

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8" X 1", PVC tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Flip back slope armrest, PU armpad
/FOOTREST	Swing away footrest
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Steel
/FOOTPLATE	Plastic
/PACKAGE	24" rear wheel: 324 pcs/ 40GP, 346 pcs/ 40HQ 12" rear wheel: 340 pcs/ 40GP, 426 pcs/ 40HQ
/OPTION	Rear wheel: 12" PU tire; Quick release; safety belt
/SPECIAL	Backrest half folding; Attendant brakes



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9061	18"	103	65	95	30	46	41	47	49	120	8"	24"	16.8/14.8	82x29x79

YK9061M

ALUMINUM

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x1", PVC tire
/REAR WHEEL	24" MAG wheels, PU tire+8"x1", PVC tire
/ARMREST	Flip back with desk length, PVC armpad
/FOOTREST	Swing away footrest, heel support
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Aluminum
/FOOTPLATE	Plastic
/PACKAGE	135 pcs/ 20GP, 288 pcs/ 40HQ
/SPECIAL	Backrest half folding; Quick release; Additional 8" real wheel; Anti-tipper wheels



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9061M	18"	103	65	95	30	46	41	47	49	120	8"	24"	15.8/13.8	82x34x79

YK9063

ALUMINUM

/FRAME	Double cross braces, powder coating
/FRONT WHEEL	8"x1.25", PU tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Flip back slope armrest, PU armpad
/FOOTREST	Swing in and away footrest
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Plastic
/FOOTPLATE	Plastic
/PACKAGE	24" rear wheel: 120 pcs/ 20GP, 270 pcs/ 40HQ 12" rear wheel: 140 pcs/ 20GP, 355 pcs/ 40HQ
/OPTION	Rear wheel: 12", PU tires; Height adjustable armrest; Backrest half folding; Attendant brakes
/SPECIAL	Quick release



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9063	16"	103	60	92	30	43	41	43	49	135	8"	24"	15.8/13.8	82x31x93
	18"	103	65	92	30	46	41	43	49	135	8"	24"	16.3/14.3	82x31x93

YK9064F

ALUMINUM

/FRAME	Double cross braces, powder coating
/FRONT WHEEL	8" × 1.25", PU tire
/REAR WHEEL	12", PU tire
/ARMREST	Flip back slope armrest, PU armpad
/FOOTREST	Swing in and away footrest, leg support
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Plastic
/FOOTPLATE	Plastic
/PACKAGE	152 pcs/ 20GP, 360 pcs/ 40HQ
/SPECIAL	Backrest half folding; Attendant brakes



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9064F	16"	97	58.5	92	27	43	41	43	49	125	8"	12"	16.6/16.0	74x27x86
	18"	97	63.5	92	27	46	41	43	49	125	8"	12"	17.6/14.6	74x27x86

YK9067

ALUMINUM

/FRAME	Single cross brace, liquid painting
/FRONT WHEEL	6"x1.25", PU tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Height adjustable with PU pad
/FOOTREST	Swing in and away detachable footrest, heel support
/SEAT AND BACKREST	Tension nylon with sponge, flame-retardant
/FRONT FORK	Aluminum
/FOOTPLATE	Plastic, angle adjustable
/PACKAGE	135 pcs/ 20GP, 326 pcs/ 40HQ
/SPECIAL	Backrest half folding; Thick cushion; Seat height adjustable; Quick release; Safety belt; Anti-tipper wheels



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9067	14"	100	62.5	92.5	33.5	35	39.5	43.5	46	110	6"	24"	17.3/15.3	82x32x78
	15"	100	65	92.5	33.5	38	39.5	43.5	46	110	6"	24"	17.8/15.8	82x32x78
	16"	100	67.5	92.5	33.5	41	39.5	43.5	46	120	6"	24"	18.3/16.3	82x32x78
	17"	100	70	92.5	33.5	43	39.5	43.5	46	120	6"	24"	18.8/16.8	82x32x78

YK9068

ALUMINUM

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	6", TPR tire
/REAR WHEEL	22" spoke wheels, pneumatic tire
/ARMREST	Fixed full length armrest, PVC armpad
/FOOTREST	Fixed footrest, leg support
/SEAT AND BACKREST	Double layers flame-retardant nylon with sponge
/FRONT FORK	Plastic
/FOOTPLATE	Plastic
/PACKAGE	115 pcs/ 20GP, 294 pcs/ 40HQ
/SPECIAL	Backrest half folding; Attendant brakes



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9068	18"	101	63	89	26	46	40	46	48	135	6"	22"	16.3/15.3	94x27x78

YK9070

ALUMINUM

/FRAME	Double cross braces, powder coating
/FRONT WHEEL	8"x1.25", PU tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Height adjustable, forward & backward armrest with PU armpad
/FOOTREST	Swing in and away footrest
/SEAT AND BACKREST	Tension nylon with sponge, flame-retardant
/FRONT FORK	Aluminum
/FOOTPLATE	Plastic
/PACKAGE	110 pcs/ 20GP, 270 pcs/ 40HQ
/OPTION	Attendant brakes; Backrest half folding
/SPECIAL	Seat height adjustable; Quick release; Lift wheels; Anti-tipper wheels



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9070	16"	99	67	90	34.5	41	42	45.5	46	135	8"	24"	18.5/16.0	80x32x93
	17"	99	67	90	34.5	43	42	45.5	46	135	8"	24"	19.0/16.5	80x32x93
	18"	99	67	90	34.5	46	42	45.5	46	135	8"	24"	19.5/17.0	80x32x93
	19"	99	67	90	34.5	48	42	45.5	46	135	8"	24"	20.0/17.5	80x32x93

YK9071

ALUMINUM STEEL

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"×2", PU tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Height adjustable armrest, PU armpad
/FOOTREST	Swing in and away footrest
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Aluminum
/FOOTPLATE	Plastic
/PACKAGE	107 pcs/ 20GP, 272 pcs/ 40HQ
/SPECIAL	Seat height adjustable; Quick release



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9071 (Aluminum)	16"	97	60.5	87	31.3	40.5	41.7	45	45	115	8"	24"	16.5/14.0	79x32x96
	18"	97	65.5	87	31.3	45.5	41.7	45	45	115	8"	24"	16.7/14.3	79x32x96
	20"	97	70.5	87	31.3	50.5	41.7	45	45	115	8"	24"	16.9/14.4	79x32x96
YK9071 (Steel)	16"	98	60	90	33	40.5	44	42	48	115	8"	24"	20.0/18.0	80x30x93
	18"	98	65	90	33	45.5	44	42	48	115	8"	24"	20.0/18.0	80x30x93

YK9072

ALUMINUM

/FRAME	Double cross braces, liquid painting
/FRONT WHEEL	8"×1.25", PU tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Height adjustable, forward & backward armrest with PU armpad
/FOOTREST	Swing in and away footrest, heel support
/SEAT AND BACKREST	Tension nylon with sponge, flame-retardant
/FRONT FORK	Aluminum, angle adjustable
/FOOTPLATE	Plastic, angle adjustable
/PACKAGE	110 pcs/ 20GP, 256 pcs/ 40HQ
/SPECIAL	Attendant drum brakes; Seat height adjustable; Quick release; Lift wheels; Anti-tipper wheels



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9072	15"	109	58.5	92.5-100	33	38	43	40	49-54	110	8"	24"	15.5/13.5	81×32×97.5
	16"	109	60.5	92.5-100	33	40	43	40	49-54	110	8"	24"	15.6/13.6	81×32×97.5
	17"	109	63.5	92.5-100	33	43	43	40	49-54	110	8"	24"	15.8/13.8	81×32×97.5
	18"	109	65.5	92.5-100	33	45	43	40	49-54	120	8"	24"	16.0/14.0	81×32×97.5
	19"	109	68.5	92.5-100	33	48	43	40	49-54	120	8"	24"	16.2/14.2	81×32×97.5
	20"	109	71.5	92.5-100	33	51	43	40	49-54	120	8"	24"	16.5/14.5	81×32×97.5

YK9080

ALUMINUM

/FRAME	Triple cross braces, powder coating
/FRONT WHEEL	8"x1.25", PU tire
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Height adjustable armrest
/FOOTREST	Swing away footrest, heel support
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Aluminum
/FOOTPLATE	Plastic, angle adjustable
/PACKAGE	147 pcs/ 20GP, 334 pcs/ 40HQ
/OPTION	Backrest angle adjustable; Height adjustable armrest
/SPECIAL	Seat depth adjustable; Back tube height adjustable; Seat height adjustable; Quick release; Anti-tipper wheels



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9080	15"	101	59	92	32	38	41-51	48.5	50	115	8"	24"	16.8/14.8	84x29x78
	16"	101	61.5	92	32	41	41-51	48.5	50	115	8"	24"	17.3/15.3	84x29x78
	17"	101	63	92	32	43	41-51	48.5	50	115	8"	24"	17.8/15.8	84x29x78
	18"	101	65.5	92	32	46	41-51	48.5	50	115	8"	24"	18.3/16.3	84x29x78
	19"	101	68	92	32	48	41-51	48.5	50	115	8"	24"	18.8/16.8	84x29x78
	20"	101	70.5	92	32	51	41-51	48.5	50	115	8"	24"	19.3/17.3	84x29x83

YK9088

ALUMINUM

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x1.25", PU tire
/REAR WHEEL	24" rear self-propelled wheel (Quick release) 12" rear transit wheel
/ARMREST	Height adjustable slope armrest
/FOOTREST	Swing away footrest with heel support
/SEAT AND BACKREST	Nylon with sponge, Flame retardant
/FRONT FORK	Plastic
/FOOTPLATE	Nylon
/PACKAGE	135 pcs/ 20GP, 326 pcs/ 40HQ
/SPECIAL	Backrest half folding; Rear wheel quick release (for 24" rear wheel); Armrest height adjustable; Seat height adjustable



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9088	14"	100	62.5	92.5	33.5	35	39.5	43.5	46	110	8"	24"	17.3/15.3	82x32x78
	15"	100	65	92.5	33.5	38	39.5	43.5	46	110	8"	24"	17.8/15.8	82x32x78
	16"	100	67.5	92.5	33.5	41	39.5	43.5	46	135	8"	24"	18.3/16.3	82x32x78
	17"	100	70	92.5	33.5	43	39.5	43.5	46	135	8"	24"	18.8/16.8	82x32x78
	18"	100	72	92.5	33.5	45	39.5	43.5	46	135	8"	24"	18.8/16.8	82x32x78

YK9095

ALUMINUM

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x1", PVC tire
/REAR WHEEL	12", PU tire
/ARMREST	Fixed full length armrest, PVC armpad
/FOOTREST	Swing away footrest, heel support
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Aluminum
/FOOTPLATE	Plastic
/PACKAGE	197 pcs/ 20GP, 442 pcs/ 40HQ
/SPECIAL	Backrest half folding; Attendant brakes; Safety belt



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9095	19"	100	58	91	27	48	40	46	48	115	8"	12"	14.5/13.0	71x27x78

YK9096

ALUMINUM

/FRAME	Single cross brace, liquid painting
/FRONT WHEEL	8"x1", PVC tire
/REAR WHEEL	12", PU tires
/ARMREST	Flip back slope armrest, PVC armpad
/FOOTREST	Swing away footrest
/SEAT AND BACKREST	Nylon with sponge
/FRONT FORK	Steel
/FOOTPLATE	Plastic
/PACKAGE	113 pcs/ 20GP, 287 pcs/ 40HQ
/SPECIAL	Attendant brakes; Backrest half folding



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9096	17"	103	64.5	102	27	43	43	48	50	115	8"	12"	13.8/11.8	80×29×86
	19"	103	64.5	102	27	48	43	48	50	115	8"	12"	14.8/12.8	80×29×86

YK9099

ALUMINUM STEEL

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	6"×1", PVC tire/ 6" PU tire
/REAR WHEEL	8"×1", PVC tire/ 8"×1.25", PU tire
/ARMREST	Fixed slope armrest, PVC armpad
/FOOTREST	Swing away footrest
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Plastic
/FOOTPLATE	Plastic
/PACKAGE	225 pcs/ 20GP, 560 pcs/ 40HQ
/OPTION	Attendant brakes
/SPECIAL	Backrest half folding; Safety belt; Hand strap



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9099	18"	108	61	93.5	21	46	40	44	48	115	6"	8"	14.6/11.1	61x24x76

YK9101

ALUMINUM

/FRAME	Double cross braces, powder coating
/FRONT WHEEL	6"x1.25", PU tire
/REAR WHEEL	22" spoke wheels, PU tire
/ARMREST	Fixed full length armrest, PU armpad
/FOOTREST	Fixed footrest, leg support
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Plastic
/FOOTPLATE	Plastic
/PACKAGE	100 pcs/ 20GP, 250 pcs/ 40HQ
/SPECIAL	Backrest half folding



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9101	16"	99.5	64.5	90	31	40	41	43	47.5	100	6"	22"	15.0/13.0	98×32×86

COMFORT

ALUMINUM

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	6"x1.25", PU tire
/REAR WHEEL	24" spoke wheels, pneumatic tire
/ARMREST	Detachable armrest
/FOOTREST	Swing away footrest
/SEAT AND BACKREST	Tension nylon with sponge, flame-retardant
/FRONT FORK	Aluminum
/FOOTPLATE	Plastic, angle adjustable
/PACKAGE	132 pcs/ 20GP, 319 pcs/ 40HQ
/SPECIAL	Back tube height adjustable; Seat height adjustable; Quick release; Seat depth adjustable



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
Comfort	15"	93	55.5	81-97	30	38	42	36-37	46-52	115	6"	24"	14.5/12.5	77x30x88
	16"	93	58	81-97	30	41	42	36-37	46-52	115	6"	24"	15.0/13.0	77x30x88
	17"	93	60.5	81-97	30	43	42	36-37	46-52	115	6"	24"	15.5/13.5	77x30x88
	18"	93	63	81-97	30	46	42	36-37	46-52	115	6"	24"	16.0/14.0	77x30x88

ACTIVE

ALUMINUM

/FRAME	United frame, liquid painting
/FRONT WHEEL	5" PU tire
/REAR WHEEL	24" spoke wheels, pneumatic tire
/SIDE PLATE	ABS
/FOOTREST	Fixed united footrest, height adjustable
/SEAT AND BACKREST	Tension nylon with sponge, flame-retardant
/FRONT FORK	Aluminum
/FOOTPLATE	Aluminum, height and angle adjustable
/PACKAGE	80 pcs/ 20GP, 210 pcs/ 40HQ
/OPTION	With/without armrest; Aluminum side plate; 4" front castor; Thick cushion
/SPECIAL	Backrest angle adjustable; Gravity adjustable; Seat height adjustable; Side plate height adjustable; Anti-tipper wheels



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
Active	16"	83.5	63	80	/	40.5	41	32.5	48	110	4"/5"	24"	14.0/12.0	74x63x63
	18"	83.5	63	80	/	46	41	32.5	48	110	4"/5"	24"	14.0/12.0	74x63x63

YK9031 Kid

ALUMINUM

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	6"x2", PU tire
/REAR WHEEL	20" spoke wheels, pneumatic tire
/ARMREST	Flip back with desk length, PU armpad
/FOOTREST	Swing away footrest, leg support
/SEAT AND BACKREST	Double layers flame-retardant nylon with sponge, 3cm cushion
/FRONT FORK	Aluminum
/FOOTPLATE	Plastic
/PACKAGE	160 pcs/ 20GP, 384 pcs/ 40HQ
/SPECIAL	Anti-tipper wheels; Safety belt



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9031K	12"	93	48	84	27.5	31	31	38	46	60	6"	20"	18.5/16.0	72x28x86
	14"	93	53	84	27.5	35.5	31	38	46	80	6"	20"	19.5/17.0	72x28x86

YK9065 Kid

ALUMINUM

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	6"x1.25", PU tire
/REAR WHEEL	22" MAG wheels, PU tire
/ARMREST	Flip back full length armrest, PU armpad
/FOOTREST	Swing in and away footrest
/SEAT AND BACKREST	Flame-retardant nylon with sponge
/FRONT FORK	Aluminum
/FOOTPLATE	Plastic
/PACKAGE	120 pcs/ 20GP, 320 pcs/ 40HQ



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9065K	14"	103	52	92	30	35	41	43	49	100	6"	22"	13.5/11.5	77x31x88

02 POWER WHEELCHAIR



E-LITE

CARBON FIBER

/ TYPE	Electric Wheelchair
/ CONTROLLER	PG Brushless controller
/ MOTOR	200W, electromagnetic brake
/ MAX SPEED	6 km/h
/ TRAVEL MILEAGE	15 km
/ BATTERY	24V 12Ah Li-ion
/ ANGLE SEAT SURFACE	4°
/ BACKREST ANGLE	10°
/ TOTAL MASS(BATTERY INCLUDED)	13.5 kg
/ WEIGHT OF BATTERY	2 kg
/ MAXIMUM SAFE SLOPE	6°
/ MINIMUM TURNING RADIUS	1100 mm
/ MINIMUM WIDTH REQUIRED TO REVERSE	1100 mm
/ MAXIMUM HEIGHT OF OBSTACLE	40 mm
/ PACKAGE	253 pcs/40HQ



Product Features



Carbon fiber body
Ultra-light weight



The box folds for
easy carrying and storage



Available in multiple colors

ITEM NO.		Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Height Footplate (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	Total Mass (inc./ex. bat.) (kg)	Carton Size (cm)
E-Lite		93	58	97	15	44.5	46.5	50	49.5	136	7"	8.5"	13.5/11.5	95x60x70

STAR

STEEL

/ TYPE	Electric Wheelchair
/ CONTROLLER	Dynamic(drive only/drive+light+actuator)
/ MOTOR	2x340W, electromagnetic brake
/ MAX SPEED	10 km/h
/ TRAVEL MILEAGE	30 km
/ BATTERY	Lead-acid batteries 24V 52Ah
/ FRONT WHEEL	9"x3"
/ REAR WHEEL	14"x3"
/ TOTAL MASS(BATTERY INCLUDED)	106.5 kg
/ WEIGHT OF BATTERY	30 kg
/ MAXIMUM SAFE SLOPE	10°
/ MINIMUM TURNING RADIUS	900 mm
/ MIN. BRAKING DISTANCE AT MAX. SPEED	1700 mm
/ MAXIMUM HEIGHT OF OBSTACLE	50 mm
/ SUSPENSION	Rear Suspension



Product Features



Multi-angle adjustment



Rear lights



Dynamic/PG controller

ITEM NO.	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Height Footplate (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	Total Mass (inc./ex. bat.) (kg)	Carton Size (cm)
Star	108	58	121.5	13~20	43~48	43~48	*	75	136	9"	14"	106.5/76.5	102x72.5x85

EASY WAY PLUS

ALUMINUM

/ FRAME	Aluminum, powder coating
/ CONTROLLER	PG/China
/ MOTOR	180W×2, brush motor
/ MAX SPEED	7 km/h
/ TRAVEL MILEAGE	15 km
/ BATTERY	Lithium battery 24V 20Ah, 30Ah optional
/ FRONT WHEEL	8"×2", PU tire
/ REAR WHEEL	12" pneumatic/PU, aluminum alloy
/ ARMREST	Flip back armrest, PU armpad
/ FOOTREST	Flip up, with aluminum pad
/ SEAT	Breathable backrest, thick cushion
/ PACKAGE	95 pcs/20GP, 240 pcs/40HQ
/ SPECIAL	Max. 30Ah lithium battery; Electromagnetic brake; Safety belt; Backrest height adjustable; Tool-free detachable battery box



ITEM NO.		Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
Easy-Way Plus		105	67	94	39	45	42	43	51	135	8"	12"	50.5/46	72×43×88

PIONEER

STEEL ALUMINUM

/ FRAME	Steel/Aluminum, powder coating
/ CONTROLLER	PG/China
/ MOTOR	200W×2, brush motor
/ MAX SPEED	7 km/h
/ TRAVEL MILEAGE	20 km
/ BATTERY	Lead acid 2x12V 20Ah, 32Ah/36Ah optional
/ FRONT WHEEL	8"×2", PU tire
/ REAR WHEEL	12.5" pneumatic/PU, aluminum alloy
/ ARMREST	Flip back slope armrest, PU armpad, height adjustable optional
/ FOOTREST	Detachable footrest with heel support
/ SEAT	Tension nylon with sponge, thick cushion
/ PACKAGE	75 pcs/ 20GP, 185 pcs/ 40HQ
/ SPECIAL	Backrest half folding; Safety belt; Electromagnetic brake



ITEM NO.		Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
Pioneer	Steel	108	63	97	34	43-48	43	45	52	135	8"	12.5"	65.6/61.6	87×38×81
	Aluminum	108	63	97	34	43-48	43	45	52	135	8"	12.5"	58.0/50.3	87×38×81

RECLINER

ALUMINUM

/FRAME	Aluminum, powder coating, foldable
/CONTROLLER	PG/China
/MOTOR	340W×2, brush motor
/MAX SPEED	8-9 km/h
/TRAVEL MILEAGE	20 km
/BATTERY	Lead acid 2×12V 32Ah
/FRONT WHEEL	9" PU tire
/REAR WHEEL	14" solid tire
/ARMREST	Height adjustable armrest, PU armpad
/FOOTREST	Detachable footrest with heel support
/SEAT	Tension nylon with sponge, thick cushion
/PACKAGE	75 pcs/20GP, 190 pcs/40HQ
/SPECIAL	Headrest; Elevating legrest; Anti-tipper wheels; Safety belt; Reclining backrest(max. 130°); Footplate height and angle adjustable; Armrest height adjustable(150-170 mm); Seat depth and width adjustable; Anti-tipper wheels



ITEM NO.		Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
Recliner		107	65	97	36	44-50	47.5-50	44	53	135	9"	14"	71.7/66.7	87×45×83

SMART

ALUMINUM

/FRAME	Aluminum, powder coating
/CONTROLLER	China
/MOTOR	150W×2, brushless motor
/MAX SPEED	6 KM/H
/TRAVEL MILEAGE	15 KM
/BATTERY	Lithium battery, 12Ah
/FRONT WHEEL	8"×2", PU tire
/REAR WHEEL	12" pneumatic/PU, aluminum alloy
/ARMREST	Height adjustable armrest, PU armpad
/FOOTREST	Detachable with angle adjustable footplate
/SEAT	Tension nylon backrest
/PACKAGE	Breathable cushion seat
/SPECIAL	Safety belt; Backrest half folding



ITEM NO.		Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
Smart Kid		100	63	95	49	38.5	41	48	50	120	8"	12"	29.4/24.9	85x45x84
Smart		100	65	95	41	45	41	48	50	120	8"	12"	29.4/24.9	85x45x84

ECONOMY

STEEL

/FRAME	Steel, powder coating
/CONTROLLER	China
/MOTOR	250W×2, brush motor
/MAX SPEED	7 km/h
/TRAVEL MILEAGE	15 km
/BATTERY	Lead acid 2x12V 12Ah, 20Ah optional
/FRONT WHEEL	8"×2", PU tire
/REAR WHEEL	16" pneumatic, steel alloy
/ARMREST	Flip back slope armrest, PVC armpad
/FOOTREST	Detachable footrest with heel support
/SEAT	Tension nylon with sponge, breathable cushion
/PACKAGE	80 pcs/20GP, 210 pcs/40HQ
/SPECIAL	Safety belt; Hand brakes



ITEM NO.		Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
Economy		106	64	94	37	43-48	44	41	53	135	8"	16"	51.0/43.0	87x38x99

JUMPER

ALUMINUM

/FRAME	Aluminum, powder coating
/CONTROLLER	PG/China
/MOTOR	340W×2, brush motor
/MAX SPEED	9 KM/H
/TRAVEL MILEAGE	20 KM
/BATTERY	Lead acid 2x12V 32Ah, 20Ah /36Ah optional
/FRONT WHEEL	9" PU tire, 10" optional
/REAR WHEEL	14" pneumatic/solid, aluminum alloy
/ARMREST	Flip back height adjustable slope armrest, PU armpad
/FOOTREST	Detachable footrest with heel support
/SEAT	Tension nylon with sponge, thick cushion
/PACKAGE	75 pcs/20GP, 160 pcs/40HQ
/SPECIAL	Phone holder; Cup holder; Safety belt; Electromagnetic brake;



ITEM NO.		Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded (cm)	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
Jumper		107	65	97	36	43-48	44	44	53	135	9"	14"	81.0/62.0	89x42x104

SPLIT

ALUMINUM

/FRAME	Aluminum, powder coating
/CONTROLLER	PG/ China
/MOTOR	200W × 2, brush motor
/MAX SPEED	7 km/h
/TRAVEL MILEAGE	15 km
/BATTERY	Lithium 24V 20Ah (Lead acid 20Ah battery optional)
/FRONT WHEEL	8" × 2", PU tire
/REAR WHEEL	12.5" pneumatic/PU, aluminum alloy
/ARMREST	Flip back slope armrest, PU armpad
/FOOTREST	Detachable footrest with heel support
/SEAT	Breathable backrest and cushion
/PACKAGE	95 pcs/20GP, 245 pcs/40HQ
/OPTION	Height adjustable armrest; Color upholstery
/SPECIAL	Backrest half folding; Safety belt; Electromagnetic brake



ITEM NO.		Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
Split		108	63	97	34	45	44	44	53	135	8"	12.5"	40.5/33.5	87x38x81

SPLIT II

STEEL

/FRAME	Steel, powder coating
/CONTROLLER	PG/China
/MOTOR	250W × 2, brush motor
/MAX SPEED	7 KM/H
/TRAVEL MILEAGE	15 KM
/BATTERY	Lead acid 2 × 12V, 20Ah
/FRONT WHEEL	8" × 2", PU tire
/REAR WHEEL	12.5" pneumatic/PU, steel spoke
/ARMREST	Flip back slope armrest, PU armpad
/FOOTREST	Detachable footrest with heel support
/SEAT	Tension nylon with sponge, thick cushion
/SPECIAL	Electromagnetic brake; Safety belt; Backrest half folding



ITEM NO.		Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
Split II	15"	108	63	97	46	38	44	44	53	135	8"	12.5"	37.0/35.0	87x48x81
	18"	108	63	97	46	45	44	44	53	135	8"	12.5"	37.0/35.0	87x48x81
	20"	108	63	97	46	50	44	44	53	135	8"	12.5"	37.0/35.0	87x48x81

ENGULM

STEEL

/FRAME	Steel, powder coating
/CONTROLLER	PG/Dynamic
/MOTOR	340W×2, brush motor
/MAX SPEED	9 km/h
/TRAVEL MILEAGE	25 km
/BATTERY	Lead acid, 24V 50Ah (36Ah optional)
/FRONT WHEEL	9", pneumatic/ PU tire
/REAR WHEEL	14", pneumatic tire, aluminum alloy
/ARMREST	Height adjustable armrest, wide PU armpad
/FOOTREST	Detachable footrest with heel support, width adjustable
/SEAT	Tension nylon backrest, thick cushion
/PACKAGE	30 pcs/20GP, 66 pcs/40GP
/SPECIAL	Powered seat tilting and back reclining; Headrest; Electromagnetic brake; Light system; Seat width adjustable; Seat depth adjustable



ITEM NO.		Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
Engulm		114.3	62.5	99.5	/	43-50	33-50	49.5	50	135	9"	14"	110.0/98.0	102x77x97

SWIFTY

STEEL

/FRAME	Steel, powder coating
/CONTROLLER	PG/China
/MOTOR	240W×2, brush motor
/MAX SPEED	6 KM/H
/TRAVEL MILEAGE	15 KM
/BATTERY	Lead acid 2×12V 12Ah, lithium battery 20Ah optional
/FRONT WHEEL	6", black PU tire
/REAR WHEEL	8", black PU tire
/ARMREST	Flip back armrest, PU armpad
/FOOTREST	Flip up aluminum footrest, height adjustable
/BACKREST	Soft PU leather, long-lasting, easy cleaning
/SEAT	PU leather, forward and backward adjustable
/PACKAGE	75 pcs/20GP, 190 pcs/40HQ
/SPECIAL	Seat width adjustable; Detachable into 3 pieces



ITEM NO.		Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
Swifty		90	53	93	/	46	34	40	53	120	6"	8"	52.5/46.5	82x62x62

03 scooter



E-CARY

CARBON FIBER



/CONTROLLER	Brushless controller
/MOTOR	200W, electromagnetic brake
/ MAX. SAFE SLOPE	6°
/MAX SPEED	6 km/h
/TRAVEL MILEAGE	14.5 km
/BATTERY	24V 10/12/14Ah Li-ion
/WHEEL	Front: 7"; Rear:8"
/CHARGER	24V 2A
/SEAT	Removable seat cushion
/COLOR	White/Blue/Red (more colors can be customized)
/PACKAGE	290 pcs/40GP
/POSITION LIGHT	Front / Rear



Delta tiller with dashboard



Anti-tipper wheel + transport wheel



Height-adjustable faucet



Fold-back armrest



NFC Unlock & LCD Display



The box folds for easy carrying and storage

ITEM NO.	Total Width (cm)	Total Height (cm)	Total Length (cm)	Seat Height (cm)	Seat Width (cm)	Seat Depth (cm)	Total Mass (inc./ex. bat.) (kg)	Weight Capacity (kg)	Carton Size (cm)
E-Cary	52	92.5	101.5	53.6	40	38	16.3/14.8	136	60x58x80

GEMINI

STEEL



/CONTROLLER	160 A
/MOTOR	450W / 600 W, electromagnetic brake
/SLOPE	10°
/MAX SPEED	15 km/h
/TRAVEL MILEAGE	50 km
/BATTERY	Lead acid 24V 75Ah
/WHEEL	13" pneumatic tires with aluminum alloy hub
/CHARGER	24V 10A
/SEAT	PVC with sponge
/Maximum height of obstacle	50 mm
/SUSPENSION	Front / Rear
/SUSPENSION	Front / Rear



13" pneumatic tires with aluminum alloy hubs



Adjustable handlebars, seat, backrest, headrest and armrests



2 cup holders



Delta tiller with dashboard



Front and rear shock absorbers



Detachable and foldable

ITEM NO.		Total Width (cm)	Total Height (cm)	Total Length (cm)	Seat Height (cm)	Seat Width (cm)	Seat Depth (cm)	Total Mass (inc./ex. bat.) (kg)	Weight Capacity (kg)	Carton Size (cm)
Gemini		62.5	133	136.5	48.5 - 53.5	47	43	135/100	150	168x85x81

VIRGO-D VIRGO-F

DETACHABLE VERSION

/CONTROLLER	Dynamic 50A
/MOTOR	270W, electromagnetic brake
/SLOPE	6°
/MAX SPEED	8 km/h
/TRAVEL MILEAGE	16 km
/BATTERY	Lead acid 24V 12Ah
/WHEEL	8"×2.5", black PU tire
/CHARGER	24V 2A
/SEAT	PVC with sponge
/COLOR	Champagne/ Red/ Blue
/PACKAGE	227 pcs/40HQ
/SUSPENSION	Virgo-D: / ; Virgo-F:Rear




Delta tiller with dashboard



360 ° rotatable ergonomic seat



Equipped with storage basket



Rearview mirror optional



VIRGO-D
Easily disassembled into five pieces



VIRGO-F
Easily disassembled into four pieces

ITEM NO.		Total Width (cm)	Total Height (cm)	Total Length (cm)	Seat Height (cm)	Seat Width (cm)	Seat Depth (cm)	G./N. Weight (kg)	Weight Capacity (kg)	Carton Size (cm)
Virgo-D/F		50	85.5-89	103	49.5-53	44	39	49.0/45.0	136	113x50.5x53

LIBRA-D LIBRA-DX

/CONTROLLER	Dynamic 50A
/MOTOR	270W, electromagnetic brake
/SLOPE	6°
/MAX SPEED	8 km/h
/TRAVEL MILEAGE	16 km(Libra-D); 25 km(Libra-DX);
/BATTERY	Lead acid 24V 15Ah(Libra-D)/25Ah(Libra-DX)
/WHEEL	8"×2.5", black PU tire
/CHARGER	24V 2A
/SEAT	PVC with sponge
/COLOR	Champagne/ Red/ Blue
/PACKAGE	227 pcs/40HQ
/SUSPENSION	Libra-D: / ; Libra-DX:Front and Rear



Delta tiller with dashboard



360 ° rotatable ergonomic seat



Easily disassembled into five pieces



Equipped with storage basket



Rearview mirror optional



Position light

ITEM NO.		Total Width (cm)	Total Height (cm)	Total Length (cm)	Seat Height (cm)	Seat Width (cm)	Seat Depth (cm)	G./N. Weight (kg)	Weight Capacity (kg)	Carton Size (cm)
Libra-D		48.5	88	108.3	51-54.5	43.5	38	39.5/35.5	136	113x50.5x53
Libra-DX		48.5	88	108.3	53.5-57	44	41	57.1/52.9	136	113x50.5x53

SAGITTA-D

/CONTROLLER	Dynamic DR90
/MOTOR	320W, electromagnetic brake
/SLOPE	9°
/MAX SPEED	10 km/h
/TRAVEL MILEAGE	38 km/ 50km
/BATTERY	24V 38Ah/ 24V 52Ah
/WHEEL	10", air tyre
/CHARGER	24V 4A/ 24V 6A
/SEAT	PVC Leather with sponge
/PACKAGE	36 pcs/20GP, 78 pcs/40GP



Intuitive control panel



Comfort adjustable seating



Easily disassembled into five pieces



Equipped with storage basket



Brake light/indicators



Headlight

ITEM NO.		Total Width (cm)	Total Height (cm)	Total Length (cm)	Seat Height (cm)	Seat Width (cm)	Seat Depth (cm)	G./N. Weight (kg)	Weight Capacity (kg)	Carton Size (cm)
Sagitta-D	38Ah	58.3	96.5	125.5	50-54	45	45.5	94.6/89.6	150	Body: 133x63x63
	52Ah	58.3	96.5	125.5	50-54	45	45.5	98.6/93.6	150	Seat: 60x55x39

04 BUGGY



YK9001

ALUMINUM

/FRAME	Light weight and luxury design
/FRONT WHEEL	8"x2", PU tire
/REAR WHEEL	12", PU tire
/PUSHBAR	Height adjustable
/FOOTREST	Adjustable angle and height footrest
/SEAT AND BACKREST	Changeable seat width and depth; Comfortable soft and adjustable headrest
/FRONT FORK	Plastic
/SEAT SYSTEM	Removable, two-way adjustable and reclining
/PACKAGE	121 pcs/ 20GP, 230 pcs/ 40HQ
/SPECIAL	Foldable chair frame for easy transportation and storage; Mesh bag for small belongings; Seat fixed, 6 angle degree



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK8001		83	64	116	/	28-32	30	/	51.5	60	8"	12"	22.4/19.6	82x66x45
		83	64	116	/	32-40	30	/	51.5	60	8"	12"	22.4/19.6	82x74x45

YK9140

ALUMINUM

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	6", PU tire
/REAR WHEEL	16", PU tire
/ARMREST	Height adjustable armrest, PU armpad
/FOOTREST	Elevating legrest
/SEAT AND BACKREST	Breathable mesh fabric
/FRONT FORK	Aluminum
/FOOTPLATE	Plastic
/PACKAGE	100 pcs/ 20GP, 200 pcs/ 40HQ
/OPTION	Attendant brakes; Tray table
/SPECIAL	Backrest reclining; Seat tilting



ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Overall Width Folded	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	G./N. Weight (kg)	Carton Size (cm)
YK9140	14"	98	48	100	33	36	38	46	42	≤90	6"	16"	26.0/24.0	80×40×64
	16"	98	53	100	33	40	38	46	42	≤90	6"	16"	27.0/25.0	80×40×68
	18"	112	60	110	33	46	40	54	45	≤90	6"	16"	30.0/27.0	95×34×95

05 LIFT



LIFT Y401

STEEL

/FRAME	Steel, powder coating
/CHASSIS LENGTH	1070 mm
/CHASSIS WIDTH	600 mm - 800 mm
/LIFTING HEIGHT	830 mm - 1850 mm
/HANDLE HEIGHT	1000 mm
/CASTOR HEIGHT	90 mm
/MOTOR	DC 24V 8000N
/BATTERY	DC 24V 5Ah, rechargeable battery Approx. 60 lifts per full charge
/CHARGER	24V-1A
/CHARGING TIME	6 hours per time
/FRONT CASTOR	3" solid tire, plastic wheel optional
/REAR CASTOR	4" solid tire with locking, plastic wheel optional
/MAX. USER WEIGHT	150 kg (23.62 stone)
/ALTERNATIVES	Purpose designed sling
/PACKAGE	1260×630×350 mm
/G./N.W.	51 / 43 kg



Y402 STANDING



Y403 FOLDED HOME-USE



Y404 MANUAL

ITEM NO.	Chassis Length (mm)	Chassis Width (mm)	Lifting Height (mm)	Handle Height (mm)	Castor Height (mm)	Motor	Charger	Front Caster Spec.	Rear Caster Spec.	Max. User Weight (kg)	G./N. Weight (kg)	Carton Size (mm)
Y402	1070	600-800	1295-1960	1000	90	DC 24V 8000N	24V-1A	3"	4"	150	56.5/48.5	1240x630x350
Y403	940	535-840	770-1830	1080	90	DC 24V 8000N	24V-1A	3"	4"	150	47.0/39.5	1260x570x350
Y404	1160	600-800	910-1900	1000	90	DC 24V 8000N	24V-1A	3"	4"	150	51.0/43.0	1240x630x350

LIFT Y407

STEEL

/FRAME	Steel, powder coating
/CHASSIS LENGTH	1200 mm
/CHASSIS WIDTH	600 mm - 1065 mm
/LIFTING HEIGHT	840 mm - 1870 mm
/HANDLE HEIGHT	1170 mm
/CASTOR HEIGHT	115 mm
/MOTOR	DC 24V 8000N
/BATTERY	DC 24V 2.2AH, interchangeable feeding battery Approx. 60 lifts per full charge
/CHARGER	24V-1A
/CHARGING TIME	5 hours per time
/FRONT CASTOR	3" solid tires
/REAR CASTOR	4" solid tires with locking
/PUSH HANDLE	Push handle with rounded corners
/MAX. USER WEIGHT	150 kg (23.62 stone)
/ALTERNATIVES	Purpose designed sling(3 kinds) Standard Mode / Stand Aid Mode Interchangeable
/PACKAGE	1240×630×360 mm
/G./N.W.	48/40 kg



LIFT Y410

STEEL

/FRAME	Steel, powder coating
/SEAT TO FLOOR HEIGHT	420mm-570mm
/TOTAL LENGTH	730mm
/TOTAL WIDTH	560mm
/TOTAL HEIGHT	810mm
/FOLDED / DISMANTLED LENGTH	360mm
/FOLDED / DISMANTLED WIDTH	560mm
/FOLDED / DISMANTLED HEIGHT	680mm
/LEG HEIGHT / FRAME HEIGHT	900mm
/SUPPLY VOLTAGE	24V
/MAXIMUM LOAD	120kg
/LIFTING RANGE	150mm
/BATTERY CAPACITY	24V4.4Ah
/TOTAL WEIGHT	35kg
/PACKAGE	600×430×760mm



06 POWER LIFT CHAIR



VITTO-1M

/STYLE	Classic
/MOTOR	Single Motor
/FRAME	Constructed with a mixed hardwood frame
/UPHOLSTERY	Tissue / PU cover
/SEAT	High density foam
/FEATURES	Electric reclining and lifting mechanism ; One remote for all the operations; Easily assembled in less than 15 minutes;
/COLOR OPTIONS	Beige / Gray / Black / Optional
/TOTAL WIDTH	800 mm
/SEAT WIDTH	540 mm
/ARMREST HEIGHT	140 mm
/SEAT HEIGHT	505 mm
/TOTAL HEIGHT	995 mm
/TOTAL LENGTH	1564 mm
/SEAT DEPTH	425 mm
/BACKREST HEIGHT	780 mm
/G.W.	52 kg
/WEIGHT CAPACITY	150 kg
/WARRANTY	1 Year
/OPTIONAL	Dual motor; Massage; Heat
/PACKAGE	42 pcs/20GP, 120 pcs/40HQ



TISSUE 221-1



TISSUE 221-14



TISSUE 221-23



BL0720-34



BL0720-37



YKM-03



YKPU-01



YKPU-02



YKPU-03

YK3001-1M

/STYLE	Intelligence
/MOTOR	Single Motor
/FRAME	Reinforced and thickened steel pipes
/UPHOLSTERY	Tissue / PU cover
/SEAT	Filed high-density rebound sponge
/FEATURES	Electric reclining and lifting mechanism ; One remote for all the operations; Easily assembled in less than 15 minutes;
/COLOR OPTIONS	Beige / Gray / Black / Optional
/TOTAL WIDTH	800 mm
/SEAT WIDTH	550 mm
/ARMREST HEIGHT	125 mm
/SEAT HEIGHT	520 mm
/TOTAL HEIGHT	995 mm
/TOTAL LENGTH	1637 mm
/SEAT DEPTH	460 mm
/BACKREST HEIGHT	760 mm
/G.W.	45 kg
/WEIGHT CAPACITY	150 kg
/WARRANTY	1 Year
/OPTIONAL	Dual motor; Massage; Heat
/PACKAGE	70 pcs/20GP, 177 pcs/40HQ



TISSUE 221-1



TISSUE 221-14



TISSUE 221-23



BL0720-34



BL0720-37



YKM-03



YKPU-01



YKPU-02



YKPU-03

07 ROLLATOR



MOVO-F

ALUMINUM

/ FRAME	Aluminum
/ WHEELS	8", PU tires
/ SEAT	Supplied
/ SHOPPING BASKET	Supplied, nylon
/ HANDBRAKES	With locking mechanism
/ COLOR	Multiple colors can be customized   
/ PACKAGE	1136 pcs/40HQ



Product Features



Lightweight, foldable design



Adjustable armrest height



Cup holder storage

ITEM NO.	Seat Height (cm)	Overall Width (cm)	Overall Width (cm)	Overall Length (cm)	Seat Width (cm)	Seat Depth (cm)	Front Caster Spec.	Height Adjustable (cm)	Weight Capacity (kg)	G./N. Weight (kg)	Carton Size (cm)
											
Movo-F	53	24	57.5	69	45	/	8"	80.5 - 93	136	9.0/8.0	65x34.5x27.5

SPIRIT X3

ALUMINUM

/ FRAME	Aluminum
/ WHEELS	9", PU tires/ 8", TPR tires
/ SEAT	Supplied
/ SHOPPING BASKET	Supplied
/ HANDBRAKES	With locking mechanism
/ COLOR	Multiple colors can be customized 
/ PACKAGE	228 pcs/ 20GP, 591 pcs/ 40HQ



ITEM NO.	Seat Height (cm)	Width Inside Hand Grip (cm)	Overall Width (cm)	Overall Length (cm)	Seat Width (cm)	Seat Depth (cm)	Front Caster Spec.	Height Adjustable (cm)	Weight Capacity (kg)	G./N. Weight (kg)	Carton Size (cm)
											
SPIRIT X3	51	47.5	60.5	72	/	/	9"	68.5-78.7	130	8.2/7.7	73x25.55x77
	55	47.5	60.5	72	/	/	9"	68.2-82.8	130	8.4/7.9	73x25.5x79.5
	58	47.5	60.5	72	/	/	9"	73.7-91.4	130	8.5/8.0	73x25.5x82.5
	64	47.5	60.5	72	/	/	9"	76.8-97.2	130	8.7/8.2	73.5x25.4x87.5

SPIRIT X4

CARBON FIBER

/ FRAME	Carbon Fiber
/ WHEELS	9", TPR tires
/ SEAT	Supplied
/ SHOPPING BASKET	Supplied
/ HANDBRAKES	With locking mechanism
/ COLOR	Multiple colors can be customized 
/ PACKAGE	228 pcs/ 20GP, 591 pcs/ 40HQ



ITEM NO.	Seat Height (cm)	Width Inside Hand Grip (cm)	Overall Width (cm)	Overall Length (cm)	Seat Width (cm)	Seat Depth (cm)	Front Caster Spec.	Height Adjustable (cm)	Weight Capacity (kg)	G./N. Weight (kg)	Carton Size (cm)
											
SPIRIT X4	51	47.5	60.5	72	/	/	9"	70-78.7	130	7.6/7.1	73x25.5x77
	55	47.5	60.5	72	/	/	8"	69.7-82.8	130	7.7/7.2	73x25.5x79.5
	58	47.5	60.5	72	/	/	8"	75.2-91.4	130	7.8/7.3	73x25.5x82.5
	64	47.5	60.5	72	/	/	8"	76.8-97.2	130	7.9/7.4	73.5x25.4x87.5

YK7010

ALUMINUM

/FRAME	Adjustable height
/WHEELS	6"x1", TPR tires
/SEAT	Padded with back support
/SHOPPING BASKET	Supplied
/HANDBRAKES	With locking mechanism
/COLOR	Available in several colors
/PACKAGE	216 pcs/ 20GP, 464 pcs/ 40GP, 520 pcs/ 40HQ



ITEM NO.	Seat Height (cm)	Width Inside Hand Grip (cm)	Overall Width (cm)	Overall Length (cm)	Seat Width (cm)	Seat Depth (cm)	Front Caster Spec.	Height Adjustable (cm)	Weight Capacity (kg)	G./N. Weight (kg)	Carton Size (cm)
YK7010	46	62	59	45	34	56	6"	85-96	110	8.6/6.6	62.5x23x85.5

YK7030

ALUMINUM

/FRAME	Adjustable height
/WHEELS	8"x1"
/SEAT	ABS
/SHOPPING BASKET	Supplied
/HANDBRAKES	With locking mechanism
/COLOR	Available in several colors
/PACKAGE	230 pcs/ 20GP, 485 pcs/ 40GP, 540 pcs/ 40HQ



ITEM NO.	Seat Height (cm)	Width Inside Hand Grip (cm)	Overall Width (cm)	Overall Length (cm)	Seat Width (cm)	Seat Depth (cm)	Front Caster Spec.	Height Adjustable (cm)	Weight Capacity (kg)	G./N. Weight (kg)	Carton Size (cm)
YK7030	46	60	67	45	34	52	8"	81-92	110	9.6/7.6	59x26x71

YK7050

STEEL

/FRAME	Adjustable height
/WHEELS	8"x2", TPR tires
/SEAT	Plastic with tray
/SHOPPING BASKET	Supplied
/HANDBRAKES	With locking mechanism
/COLOR	Available in several colors
/PACKAGE	260 pcs/ 20GP, 540 pcs/ 40GP, 640 pcs/ 40HQ



ITEM NO.	Seat Height (cm)	Width Inside Hand Grip (cm)	Overall Width (cm)	Overall Length (cm)	Seat Width (cm)	Seat Depth (cm)	Front Caster Spec.	Height Adjustable (cm)	Weight Capacity (kg)	G./N. Weight (kg)	Carton Size (cm)
YK7050	61	43	65	65	43	/	8"	83-96	110	15.0/13.0	59x26x71

YK7060

STEEL

/FRAME	Adjustable height
/WHEELS	8"x2", TPR tires
/SEAT	/
/SHOPPING BASKET	Supplied
/HANDBRAKES	With locking mechanism
/COLOR	Available in several colors
/PACKAGE	336 pcs/ 20GP, 684 pcs/ 40GP, 756 pcs/ 40HQ (2pcs/carton)



ITEM NO.	Seat Height (cm)	Width Inside Hand Grip (cm)	Overall Width (cm)	Overall Length (cm)	Seat Width (cm)	Seat Depth (cm)	Front Caster Spec.	Height Adjustable (cm)	Weight Capacity (kg)	G./N. Weight (kg)	Carton Size (cm)
YK7060	/	55	66	/	/	/	8"	82-96	/	9.1/7.1	66x36x75

08 COMMODE CHAIR



YK4100

ALUMINUM

/ FRAME	Powder coating
/ ARMREST	Flip back armrest/ Flip back and height-adjustable armrestst
/ FOOTREST	Swing in and away footrest
/ SEAT AND BACKREST	PU
/ FOOTPLATE	PP
/ COLOR	White



Product Features



Swap between large and small wheels



Portable bucket with a pull-out lid



Convenient splitting

ITEM NO.	SIZE	Overall Length (cm)	Overall Width (cm)	Overall Height (cm)	Seat Width (cm)	Seat Height (cm)	Seat Depth (cm)	Back Width (cm)	Back Height (cm)	Weight Capacity (kg)	Front Caster Spec.	Rear Wheel Spec.	Net Weight (kg)	Carton Size (cm)
YK4100 (big wheel)	16"	100	60	94	42	52	43	56	43.5	150	5"	24"	17.75	77x66.5x32.5
	18"	100	65	94	47	52	43	56	43.5	150	5"	24"	17.75	77x66.5x32.5
	20"	100	70	94	52	52	43	56	43.5	150	5"	24"	17.75	77x66.5x32.5
	22"	100	75	94	57	52	43	56	43.5	150	5"	24"	17.75	77x66.5x32.5
	24"	100	80	94	62	52	43	56	43.5	150	5"	24"	17.75	82x66.5x32.5
YK4100 (six wheels)	16"	100	60	94	42	52	43	56	43.5	150	5"	5" & 24"	17.75	77x66.5x32.5
	18"	100	65	94	47	52	43	56	43.5	150	5"	5" & 24"	18.25	77x66.5x32.5
	20"	100	70	94	52	52	43	56	43.5	150	5"	5" & 24"	18.25	77x66.5x32.5
	22"	100	75	94	57	52	43	56	43.5	150	5"	5" & 24"	18.25	77x66.5x32.5
	24"	100	80	94	62	52	43	56	43.5	150	5"	5" & 24"	18.25	82x66.5x32.5
YK4100 (small wheel)	16"	81.5	43	96.5/94/91.5	42	54.5/52/49.5	43	56	43.5	150	5"	5"	13.55	77x66.5x21.5
	18"	81.5	48	96.5/94/91.5	47	54.5/52/49.5	43	56	43.5	150	5"	5"	13.55	77x66.5x21.5
	20"	81.5	53	96.5/94/91.5	52	54.5/52/49.5	43	56	43.5	150	5"	5"	13.55	77x66.5x21.5
	22"	81.5	58	96.5/94/91.5	57	54.5/52/49.5	43	56	43.5	150	5"	5"	13.55	77x66.5x21.5
	24"	81.5	63	96.5/94/91.5	62	54.5/52/49.5	43	56	43.5	150	5"	5"	13.55	77x66.5x21.5

YK4010 YK4030

STEEL

/FRAME	Powder coating
/REAR WHEEL	With brake
/ARMREST	Full length padded armrest
/FOOTREST	Swing away footrest
/SEAT AND BACKREST	Removable padded seat and PVC backrest
/COLOR	Plastic



YK4010



YK4030

ITEM NO.	Seat Width (cm)	Overall Height (cm)	Seat Height (cm)	Front Caster Spec.	Rear Wheel Spec.	Weight Capacity (kg)	G./N. Weight (kg)	Carton Size (cm)
YK4010	44	92	52	5"	5"	115	15.5/13.0	59x56x60
YK4030	44	95	52	5"	5"	115	14.5/12.5	58x52.5x54.5

YK4120

STEEL

/FRAME	Powder coating
/ARMREST	HDPE + S1010
/TIPS	Rubber+A3
/SEAT COVER	PP
/BUCKET SET	PP
/COLOR	Grey
/CAPACITY	114kg/ 250lbs



ITEM NO.	Seat Width (cm)	Overall Height (cm)	Seat Height (cm)	Front Caster Spec.	Rear Wheel Spec.	Weight Capacity (kg)	G./N. Weight (kg)	Carton Size (cm)
YK4120	53	63.5-73.5	42-52	/	/	130	12.0/11.0	62x35x50

YK4020

STEEL

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x2", PU tires
/REAR WHEEL	24" spoke wheels, PU tire
/ARMREST	Detachable, full length armrest, PVC armpad
/FOOTREST	Swing away footrest
/SEAT AND BACKREST	U shape seat, PVC backrest
/COMMODE	Plastic
/FRONT FORK	Steel
/FOOT PLATE	Plastic
/PACKAGE	98 pcs/ 20GP, 228 pcs/ 40HQ



ITEM NO.	Seat Width (cm)	Overall Height (cm)	Seat Height (cm)	Front Caster Spec.	Rear Wheel Spec.	Weight Capacity (kg)	G./N. Weight (kg)	Carton Size (cm)
YK4020	45	92	53.5	8"	24"	115	24.1/21.4	82x35x94

YK4050

STEEL

/FRAME	Single cross brace, powder coating
/FRONT WHEEL	8"x2", PU tires
/REAR WHEEL	24" spoke wheels, Pneumatic / PU tires
/ARMREST	Flip back with desk length
/FOOTREST	Swing away footrest (Detachable)
/SEAT AND BACKREST	Removable padded seat and Nylon backrest
/COMMODE	Plastic
/FRONT FORK	Steel
/FOOT PLATE	Plastic
/PACKAGE	135 pcs/ 20GP, 270 pcs/ 40GP, 320 pcs/ 40HQ



ITEM NO.	Seat Width (cm)	Overall Height (cm)	Seat Height (cm)	Front Caster Spec.	Rear Wheel Spec.	Weight Capacity (kg)	G./N. Weight (kg)	Carton Size (cm)
YK4050	46	91	54	8"	24"	120	23.0/21.0	82x35x94
	51	91	54	8"	24"	120	24.5/22.5	82x35x94

09 SHOWER CHAIR



YK3010

/ FRAME	Height adjustable
/ TUBE	Aluminum
/ SEAT AND BACKREST	High-grade PVC; U-shaped cut



ITEM NO.	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	G./N. Weight (1pcs) (kg)	G./N. Weight (2pcs) (kg)	Carton Size 1 pcs per carton (cm)	Carton Size 2 pcs per carton (cm)
YK3010	50	30	/	43	2.4/1.9	5.0/4.0	60×11.5×36	60×18×36

YK3020

/ FRAME	Height adjustable with backrest
/ TUBE	Aluminum
/ SEAT AND BACKREST	High-grade PVC; U-shaped cut



ITEM NO.	Seat Width (cm)	Seat Depth (cm)	Back Height (cm)	Floor to Seat Height (cm)	G./N. Weight (1pcs) (kg)	G./N. Weight (2pcs) (kg)	Carton Size 1 pcs per carton (cm)	Carton Size 2 pcs per carton (cm)
YK3020	50	30	77	43	3.2/2.7	6.0/5.4	60×16×36	60×23×36

10 OVER BED TABLE



OBT01

/ FRAME	Molded composite top; Chrome plated "H" base
/ CASTORS	Two locking
/ HEIGHT	28.3"—41.7"
/ CARTON SIZE	78×46×14 cm
/ WEIGHT	10 kg/ 8 kg
/ PACKAGE	550pcs/ 20" GP, 1100pcs/ 40" GP, 1300 pcs/ 40HQ



OBT02

/ FRAME	Molded composite top
/ CASTORS	Two locking
/ HEIGHT	710-1010 mm
/ Panel Size	770×400 mm
/ Carton Size	810×430×125 mm
/ G./N. Weight	9.8 kg / 8.8 kg
/ Package	1600 pcs/40HQ



OBT03

/ FRAME	Molded composite top, powder coating, H base
/ CASTORS	Two locking
/ HEIGHT	725-1195 mm
/ Panel Size	770×400 mm
/ Carton Size	815×460×80 mm
/ G./N. Weight	9.8 kg / 8.8 kg
/ Package	2200 pcs/40HQ



OBT04

/ FRAME	Molded composite top, powder coating, H base
/ CASTORS	Two locking
/ HEIGHT	700-1000 mm
/ Panel Size	600×400 mm
/ Carton Size	650×420×80 mm
/ G./N. Weight	8.5 kg / 8.0 kg
/ Package	1374 pcs/20GP, 2799 pcs/40HQ



11 WALKER & CANE





YK7450



YK7470

YK7480



YK7410



YK7420



YK7430



YK7440



YK7460



YK7210



YK7310

ITEM NO.	Overall Height (cm)	G./N. Weight (kg)	ITEM NO.	Overall Height (cm)	G./N. Weight (kg)	ITEM NO.	Overall Height (cm)	G./N. Weight (kg)
YK7410	71.12-93.98	1.40/1.30	YK7430S	78.74-109.22	0.81/0.73	YK7210	76.00-94.00	3.50/3.10
YK7420L	132.08-152.4	1.00/0.90	YK7440	71.40-94.50	1.00/0.90	YK7310	77.00-95.00	2.75/2.35
YK7420M	111.76-132.08	0.97/0.88	YK7450	78.00-89.00	0.42/0.37			
YK7420S	93.98-114.3	0.85/0.78	YK7460	120cm(Fold 35cm)	0.41/0.38			
YK7430L	107.95-138.43	0.90/0.81	YK7470	73.66-96.52	0.40/0.30			
YK7430M	95.25-125.73	0.89/0.81	YK7480	78.74-101.60	0.48/0.38			

12 CUSHION




L01 L09

/ MATERIAL	L01:High rebound material L09:Slow rebound material
/ WEIGHT CAPACITY	130 kg
/ DEPTH	430 mm
/ WIDTH	460 mm
/ SEAT THICKNESS	80 mm
/ LOWER THIGH SUPPORT THICKNESS	70 mm
/ INNER THIGH SUPPORT THICKNESS	45 mm
/ EXTERNAL THIGH SUPPORT HEIGHT	45 mm
/ PELVIC PROFILE HEIGHT	35 mm



Ergonomic design



Soft and comfortable fabric
Curve wrap around the hip



Double-sided honeycomb design



L01:High rebound material



L09:Slow rebound material



Waterproof hidden zipper



ACCESSORY



Half Folding



Tension Backrest



3"transit Wheel



Drum Brake



Attendant Brake



Anti-tippers



Reclining High Back



Elevating Legrest



Alu ELR




Quick Release Axle



Thick Cushion



Tannin Cloth Backrest



Reflector



Safety Belt



Breathable Backrest



Height Adjustable Armrest



Slope Armrest



Comfort Armrest



Full Length Armrest



Desk Armrest



Comfort Footrest



Footrest



Leg Support



Heel Strap



Nylon/Aluminum/Plastic Footplate



Front Fork
(plastic/steel/aluminum)



Angle Adjustable Footplate



Steel/Aluminum Brake



Front Wheel
(PVC tire, RUBBER, PU tire)



Handrim
(Plastic/Steel/Aluminum)




8/9 MAG Rear Wheel



Spoke Rear Wheel
(Pneumatic tire/PU tire)



Breathable Cushion



Velcro



Push Bar




Head Rest Pillow




Wheelchair Cushion

COLOR

LIQUID PAINTING



POWDER COATING





INTCO Protects Your Health

Jiangsu Intco Medical Products Co.,Ltd.

NO.298 Yandunshan Road, Dagang Zhenjiang, Jiangsu, 212132 China



www.intcowheelchair.com



mobility@intco.com



400-050-6868

